

Thank you for installing SpamSentinel for Domino. The installation should take about 10 minutes. If you have questions about licensing or functionality please contact Allison Cote in customer service at allison@maysoft.com

**Note:** Windows Vista / Windows 7 contain a User Access Control (UAC) function that will prevent the installation DLL from being saved to your local machine. If your operating system has this feature you will need to launch the Notes client with the right-click **"Run as administrator"** option.



## Before you download SpamSentinel, check that you have the correct version for your requirements. Installers can be downloaded from www.maysoft.com/ss

#### 32-Bit Domino:

Use this installer for **Windows installations only**. Lotus Domino versions 6, 7, 8. 8.5 and 9 are supported in this release.

#### 64-Bit Domino:

Use this installer for **Windows installations only**. Only Lotus Domino **versions 8.5 and above** are supported in this release. If you have a x64 version of Domino 8.0 please contact our support team for assistance. Domino 9 Beta releases contain a bug which affects our installer, the Gold release of Domino 9 is fully supported.

For Linux, Unix and AS/400 and other Non-Windows operating systems, use the 'Checking Machine' version. SpamSentinel will install as a checking service on a separate Windows machine to block spam coming in through your Domino server.

Lotus Domino versions 6, 7, 8, 8.5 and 9 are supported in this release. The Notes Client installed on the checking PC must be version 6 or higher. See the notes at the end of this document relating to the checking machine install.

Save the downloaded zip file and extract the .NSF installer contained within. Open the .NSF from a Notes workstation using an Administrator ID. Click the button to start the installation.

Please pay your PayPal fees today counts cutesier worthen industried	MyCanadianStore often announces dis lle parente re:We offer best prices for best
people Haare auf dem Bodo	customer The sale of the
product. Geld vo	ady for download
Receive fun? A native Lot	us Notes & Domino
now avai' anti-spam an	d anti-virus solution Message
World'	'al soft
ware Snam	Sontinol
Item 1 Spann	Sentine nda.
New s	. abou
	sion 77
RIGHT NOW!	SION I A sheen compro
mised!!! MyDoom.p.s	using Details Sober Al
Immediat software downloads	Bagle.E MvDoom.F Don't put off you
happy life Blaster.C Get a w@	tch of your dream! Please complete you
Install Spa	m Continal Corror
instan spa	msentiner server
Remo	ve SpamSentinel

Accept the terms of the License Agreement

This License shall be governed by and construed in accordance with the laws of the State of Massachusetts, United States of Americ within the state and without giving effect to the principles of conflict of law. If any portion hereof is found to be void or unenforceable, t this License shall remain in full force and effect. This License constitutes the entire License between the parties with respect to the use

Manufacturer is MayFlower Software, Inc. 44 Stoneymeade Way, Acton, MA 01720.

I agree with these terms

I do not agree with these terms

If at any time you see an ECL alert similar to the one below, select 'Trust Signer' and then 'OK' (there may be multiple alerts).

Execution Security Aler	t ? 🗙
Notes Security	/ Alert
Notes has been ask on your system. You this action.	ed to execute a potentially dangerous action by a program u have not authorized the signer of the program to perform
Details	
Program signed by	Template Signer/Maysoft 31/12/2008 13-53-24
Is attempting	Access to environment variables
With the action	NotesSession.GetEnvironmentValue
What to Do	
Allowing this action confidential informat incorrectly or not co	to continue could damage your system or expose ion. Disallowing it could cause the current activity to display mplete.
C Do NOT execute	the action
C Execute the activity	on this one time
C Trust the signer t	o execute this action for this Notes session
Start trusting the	signer to execute this action
	OK More Info

# Enter information according to your environment and click 'Install Components'

If you have problems with this install, contact MayFlower Software at: (978) 635-1700 for technical support.			
1. This Installer is for use with Domino R5, R6, R6.5, R7, R8 server running on the following operating systems			
Microsoft Windows 2000, Microsoft Windows 2003, Microsoft Windows XP			
To install SpamSentinel on any other operating system, please contact Mayflower Software for assistance.			
2. Select the Lotus Domino server to install this product on. This is the server whose mail traffic you want to monitor with SpamSentinel.			
Kobi/Zigzag Get the Mail Server for current Notes User			
3. Select a person to be an administrator. This name will be added as a <u>person</u> with manager rights to the Access Control Lists of the Setup application and all SpamSentinel templates.			
Nick McCann/Zigzag Get current Notes Usemame			
4. Select an optional group to have administrative access. This name will be added as a <u>group</u> with manager to the Access Control Lists of the Setup application and all SpamSentinel templates.			
LocalDomainAdmins			
5. Select the installation type			
Primary SpamSentinel Server - Full Installation This option should be selected for servers where all SpamSentinel components are to be installed. If SpamSentinel is to be installed on multiple servers, and one or more of the SpamSentinel databases are to be replicated between the servers, then this option should only be used when installing on one of your servers which should be designated as your 'Primary' installation.			
Additional Spam Sentinel Server - Replicate Admin DB Only This option should be selected if you already have a 'Primary' SpamSentinel installation on another machine and wish to install SpamSentinel onto a secondary machine in such a way that it replicates the SpamSentinel Administration database with the 'Primary' server. If you are upgrading to a new version of SpamSentinel, make sure you have upgraded your 'Primary' server before you upgrade your 'Additional' servers. Reporting mechanisms on each server are independently controlled as the Reporting databases will not be replicated.			
Primary SpamSentinel Server - Full Installation			
Additional Spanisentinel Server - Replicate Admin DB Only			
6. Install the SpamSentinel components onto your server. The Setup document will then launch automatically.			
Install Components			

## Click 'Next'

Introduction	Next>> Cano
Welcome to the SpamSentinel setup utility. This will complete the installa	tion of SpamSentinel on your server.
Please make sure you are currently using a Notes ID that has administr	rative rights to the target server.
Click 'Next' to begin the installation. There may be a short delay as the set	tup utility checks the configuration of your server.

Current configuration is displayed, click 'Next'

Step 1 - Current Configuration	< <back< th=""><th>Next&gt;&gt;</th><th>Cancel</th></back<>	Next>>	Cancel
--------------------------------	---	--------	--------

Setup has finished checking your configuration.

Click 'Next' to install a new copy of SpamSentinel on this server.

#### Advanced Options

#### **Domino Server Information**

Server Name:	Kobi/Zigzag
Server OS:	Windows/32 6.1
Server Version:	Release 8.5.1FP5
.NET Framework	3.5
MSI Version	5.0.7600.16385
Visual C++ 2008 SP1	Not Installed
Port Check - Commtouch	Success
Port Check - Cloudmark	Success
Port Check - Mayflower	Success

#### Local Machine Information

Local Machine Name:	Nick McCann/Zigzag
Local Machine OS:	Windows/32
Local Machine Version:	Release 8.5.1

#### Spam Sentinel Information

SpamSentinel Version:	No current installation found

Enter your company and administrator information. If your Domino server accesses the internet via a proxy server, enter that information now and click 'Next'.

### SpamSentinel Setup Wizard

Step 2 - Configuration Options       < <back< td="">       Next&gt;&gt;       Cancel         Please enter Company Name *       * Zigzag</back<>						
Please enter Company Name * "Zigzag_] Please enter individual or group name that will manage SpamSentinel after installation and receive administrative alerts and eports. Hit Nex' to continue. Administrative User / Group * * Nick McCann/Zigzag_] * Proxy Configuration Seneral Proxy Information Jse Proxy Server * Yes_I Proxy Server Name * a Proxy Server Name * a Proxy User Domain * a Proxy User Domain * a Proxy Password * Advanced Options Click blue text for pop-up help: Check these mail boxes * * mail1.box * mail2.box SS Admin Server for Mailbox SS Admin Server for Mailbox SS Admin Relay Hosts SS Admin License Code * XP-1/Zigzag_I SS Admin License Code * XP-1/Zigzag_I * XP-1/Zigzag_I * XP-1/Zigzag_I SS Admin License Code * XP-1/Zigzag J SS Admin License Code * XP-1/Zigzag J * XP-1/Zigzag XP * XP-1/Zigzag XP	Step 2 - Configuration Options Cancel					
Company Name * <sup>™</sup> Zigzag	Please enter Company Name.					
Please enter individual or group name that will manage SpamSentinel after installation and receive administrative alerts and receive. Administrative User / Group * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Administrator * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Administrator * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Administrator * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Administrator * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Administrator * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Administrator * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Administrator * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Administrator * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Administrator * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Administrator * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Administrator * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Mail Server * <sup>III</sup> Nick McCann/Zigzag J ■ SS Reporting Mail Server * <sup>III</sup> XP-1/Zigzag J ■ SS Reporting Mail Server * <sup>III</sup> XP-1/Zigzag J ■ SS Reporting Mail Server * <sup>III</sup> XP-1/Zigzag J ■ SS Reporting Mail Server * <sup>III</sup> XP-1/Zigzag J ■ SS Admini Server * <sup>IIII</sup> XP-1/Zigzag J ■ SS Admini Server * <sup>IIII</sup> XP-1/Zigzag J ■ SS Admini Server * <sup>IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII</sup>	Company Name *	<sup>™</sup> Zigzag _				
Administrative User / Group * <sup>IP</sup> Nick McCann/Zigzag <b>I</b> SS Reporting Administrator * <sup>IP</sup> Nick McCann/Zigzag <b>I</b> * Proxy Configuration General Proxy Information Jae Proxy Server <sup>IP</sup> Yes <b>I</b> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup> <sup>IP</sup>	Please enter individual or group na reports. Hit 'Next' to continue.	me that will manage SpamSentinel after inst	tallation and	receive ad	ministrative a	alerts and
SS Reporting Administrator * F Nick McCann/Zigzag _ ■ <b>Proxy Configuration General Proxy Information</b> Juse Proxy Server <b>Proxy Server Name Proxy Server Port Proxy Server Port Prox User Name Proxy User Name Prox User Domain Proxy Domain Prox User Domain Proxy Password Prox User Domain Prox Ves Domain Prox User Domain Prox Vaser Domain Prox User Domain Prox Password Prox Domain Prox Domain Prox Imperature Prox Domain Prox Imperature Prox Password Prox Imperature Prox Manced Options Prox Imperature Click blue text for pop-up help: Click blue text for pop-up help: Check these mail.boxes Prox Imperature St Admin Server for Mailbox LOCAL St Admin Server Location of NAB XP-1/Zigzag St Admin License Code Pro12129227291549ec8b457542ff457 St Reporting Mail Server</b>	Administrative User / Group *	<sup>™</sup> Nick McCann/Zigzag <sub>□</sub> →				
	3S Reporting Administrator *	<sup>©</sup> Nick McCann/Zigzag				
General Proxy Information       Image: Server	<ul> <li>Proxy Configuration</li> </ul>					
Use Proxy Server       "Yes         Proxy Server Name       "	General Proxy Information					
Porxy Server Name <sup>r</sup> □ <sup>g</sup> 80 □ <sup>g</sup> 1	Jse Proxy Server	r Yes 🛛 💌				
Proxy Server Port <sup>r</sup> 80 <sup>d</sup> Proxy User Name <sup>r</sup> <sup>d</sup> Proxy User Domain <sup>r</sup> <sup>d</sup> Proxy Password <sup>r</sup> <sup>d</sup> Proxy Password <sup>r</sup> <sup>d</sup> <sup>r</sup> <sup>d</sup> <sup>r</sup> <sup>d</sup> Proxy Password <sup>r</sup> <sup>d</sup> <sup>r</sup> <sup>d</sup> <sup>r</sup> <sup>d</sup> <sup>r</sup> <sup>d</sup>	Proxy Server Name					
Proxy User Name       □         Proxy User Domain       □         Proxy Password       □         Re-Type Password       □         Y       Advanced Options         Click blue text for pop-up help:       □         Check these mail.boxes *       ✓ mail1.box         Imail Dox       Imail2.box         SS Admin Server for Mailbox       LOCAL         SS Admin Server Location of NAB       XP-1/Zigzag         SS Admin Relay Hosts       □         Server Relay Hosts       □         SS Reporting Mail Server *       □	Proxy Server Port	<sup>r</sup> 80 J				
Proxy User Domain <sup>□</sup> □ Proxy Password Re-Type Passwor	Proxy User Name	 				
Proxy Password       Re-Type Password         Re-Type Password       Re-Type Password         ✓ Advanced Options       Imail 2.000         Click blue text for pop-up help:       Imail 1.box         Check these mail.boxes *       Imail 1.box         Imail 2.box       Imail 2.box         SS Admin Server for Mailbox       LOCAL         SS Admin Server Location of NAB       XP-1/Zigzag         SS Admin Relay Hosts       Imail 2.00172012S27291549ec8b457542ff457 image         SS Reporting Mail Server *       Imail 2.002	Proxy User Domain	C				
Re-Type Password         ✓ Advanced Options         Click blue text for pop-up help:         Check these mail.boxes *       ✓ mail1.box         ✓ mail2.box         SS Admin Server for Mailbox       LOCAL         SS Admin Server Location of NAB       XP-1/Zigzag         SS Admin Relay Hosts       ✓	Proxy Password	7. J				
✓ Advanced Options         Click blue text for pop-up help:         Check these mail.boxes *       ✓ mail1.box         ✓ mail2.box         SS Admin Server for Mailbox       LOCAL         SS Admin Server Location of NAB       XP-1/Zigzag         SS Admin Relay Hosts       ✓	-	Re-Type Password				
Advanced Options  Click blue text for pop-up help:  Check these mail.boxes *		Tu -				
✓ Advanced Options   Click blue text for pop-up help:   Check these mail.boxes *   ✓ mail2.box   SS Admin Server for Mailbox   LOCAL   SS Admin Server Location of NAB   XP-1/Zigzag   SS Admin License Code   ✓ 03172012S27291549ec8b457542ff457   SS Reporting Mail Server *						
Click blue text for pop-up help: Check these mail.boxes *	<ul> <li>Advanced Options</li> </ul>					
Check these mail.boxes *       Imail1.box         Imail2.box       Imail2.box         SS Admin Server for Mailbox       LOCAL         SS Admin Server Location of NAB       XP-1/Zigzag         SS Admin Relay Hosts       Imail2.box         Server Relay Hosts       Imail2.box         SS Admin License Code       Imail2.box         SS Reporting Mail Server *       Imail2.box	Click blue text for pop-up help:					
Imail2.box       SS Admin Server for Mailbox     LOCAL       SS Admin Server Location of NAB     XP-1/Zigzag       SS Admin Relay Hosts     "	Check these mail.boxes *	🔽 mail1.box				
SS Admin Server for Mailbox       LOCAL         SS Admin Server Location of NAB       XP-1/Zigzag         SS Admin Relay Hosts       "		🔽 mail2.box				
SS Admin Server Location of NAB       XP-1/Zigzag         SS Admin Relay Hosts       "	SS Admin Server for Mailbox	LOCAL				
SS Admin Relay Hosts <sup>C</sup> a Server Relay Hosts SS Admin License Code <sup>C</sup> 03172012S27291549ec8b457542ff457 a SS Reporting Mail Server *          SS Reporting Mail Server * <sup>C</sup> XP-1/Zigzag a	SS Admin Server Location of NAB	XP-1/Zigzag				
Server Relay Hosts         SS Admin License Code       © 03172012S27291549ec8b457542ff457	SS Admin Relay Hosts					
SS Admin License Code <sup>C</sup> 03172012S27291549ec8b457542ff457 <sub>a</sub> SS Reporting Mail Server* <sup>*</sup> XP-1/Zigzag	Server Relay Hosts					
SS Reporting Mail Server * 『XP-1/Zigzag』	3S Admin License Code	<sup>°</sup> 03172012S27291549ec8b457542ff457 _	]			
	SS Reporting Mail Server *	<sup>r</sup> XP-1/Zigzag _ ▼				
	SS Reporting Mail Box *	ິ mail1.box _				

Enable / disable reporting. In place of the daily report we recommend you use the 'Manage by Example' tool for Spam-B (suspect messages), see <u>www.maysoft.com/mbe</u> for more details. Reporting can still be enabled for Spam-C (confirmed spam) if desired.

### Click 'Next'

Step 3 - Reporti	ng Option	< <back next="">&gt; Cancel</back>
Should All Users receive blocked message (simil	a daily report of their ar to the one below) ?	
Users Will Receive a Da messages, with doclinks Blue fields are pop-ups v	ily Report of Blocked Email. The Re s to the messages in the Quarantin with message bodies. Click on them	oorts are sent at 5 AM, and one report has a list of all blocked database. to read the contents.
Spam: 12/29/2	Sentinel To: Lynda 005 05:09 AM cc: Subject: Spam	lones/Maysoft entinel has stopped 190 new Spam messages since 12/28
This is your daily Spam r http://www.maysoft.com From	eport blocked by SpamSentinel fror	MayFlower Software Subject
Message Body Pop-Ups Breeden S. Humphrie TJ Hart Jason O	s Prozac, viagra, cialis - all on our m Order 757054 Tracking Informatic hi	Educa Do you want to spend LESS o 12/29 05:06 AM Indulge yourself with an elega 12/29 04:59 AM Hey so whats up? Dont tell an 12/29 04:55 AM

Review settings and click 'Next' to begin the installation on the server.

Step 4 - Confirm you	r Settings	< <back next="">&gt;</back>	Cancel
Server Directory Information			
Domino Executable Directory:	C:\Domino\Release851\		
Domino Data Directory:	D:\DomData\		
SpamSentinel Data Directory:	D:\DomData\spamsentinel		

Wait for the install to run - this can take a long time over a remote WAN connection, depending on speed, and we recommend installing from the LAN. Once complete click 'Next' to restart Domino.

Step 5 - Se	et up SpamSentinel components	< <back next="">&gt; Cance</back>
Each step of the are completed u You may be pro is a new installa version, or you a	e setup process will be displayed as they until the setup process is complete. mpted to re-start your Domino server if this ation, you are upgrading from a previous are chanding certain configuration options.	Setup Progress: Install Visual C++ 8.0 Redistributable Detach PSKill Utility Kill the MMC Setting SpamSentinel registry keys Stopping the SpamSentinel AV Service
You will have t server is busy.	Your Domino server was successfully issu ensure that Domino has restarted before	ued a 'Restart Server' command. Please continuing.
		ок

MBE replaces the Daily Report as the most up-to-date way to manage Spam-B messages. If you do not already run MBE, it will have been installed in the disabled state. We highly recommend that you use this method to manage the Spam-B (suspect) messages. Please

review the video and information at <u>www.maysoft.com/mbe</u>. To enable MBE, click the 'Manage By Example Administration' button.

Finished < <back exit<="" td=""></back>		
The setup of SpamSentinel is now complete.		
What's New in this Version?		
Learn about SpamSentinel		
Open Administration Database		
SpamSentinel Manage By Example		
Watch a video introduction to MBE Visit our Manage by Example site		
Enhance your email experience with our Manage-By-Example add-on. This tool is a part of SpamSentinel that is designed to empower email users by assisting in managing their email after SpamSentinel has stopped over 99% of spam messages.		
If MBE was not already installed, it will now be installed to this server but in a disabled state.		
To use MBE it should also be installed to any servers where mail files reside.		
Links to the MBE Administration database and the MBE installer are also found in the SpamSentinel Administration database.		
Manage By Example Administration		
* indicates a required field		

# Click 'Open Server Configuration'

XP-1/Zigzag Refresh			
	[]		
General Information	Open Server Configuration		
License Status	Licensed through 17/03/2012		
MBE Status	Enabled		
Spam Management (from	SpamSentinel) Open SpamSentinel		
Spam Sentinel on Server	Spam B Handling	Spam B Folder	
SpamSentinel on Server XP-1/Zigzag	Spam B Handling Mail-In Quarantine for Reporting	Spam B Folder	

Switch the setting to 'Enabled' and also check that any custom mail templates that you use are listed under 'Mail Template Names' so that MBE will recognize them as mail databases.

Server Configuration - XP-1/Zigzag	
------------------------------------	--

Basic Configuration Advance	ced   Edit History	
Server Name:	<sup>₽</sup> XP-1/Zigzag _	
License Code:	© 03172012S27291549ec8b457542ffxxx _	
Enabled:	Fnabled .	
License Expiration Date	17/03/2012 License Expires in 67 days	
Administrator Email:	<sup>™</sup> XP-1/Zigzag _ ▼	Person or group. This is important so that you receive notifications and alerts.
Mail Template Names:	StdR85Mail, StdR8Mail, StdR7Mail, StdR6Mail, StdR50Mail, StdR45Mail _ •	ONLY these template names will be processed. If you use custom mail templates, enter their names here.
Remove Subject Prefixes:	『[Bulk] [Bulk Message]』	These tags will be removed from the subject by MBE if: 1. The e-mail has hidden fields from SpamSentinel identifying it as spam. 2. A preferences document exists that applies to the e-mail.

Save and close the configuration.

Verify installation. Check for the following tasks/services

Name 🔺	Description	Status	Startup Type	Log On As
SpamSentinel Duo 1	Spam and	Started	Manual	Local System
SpamSentinel Duo 2	Spam and	Started	Manual	Local System
SpamSentinel Reporter 1	Create dail	Started	Manual	Local System
SpamSentinel Scanner 1	Spam and	Started	Manual	Local System
Special Administration Console Helper	Allows adm		Manual	Local System
SPP Notification Service	Provides S		Manual	Local Service
SSDP Discovery	Discovers		Disabled	Local Service
System Event Notification Service	Monitors s	Started	Automatic	Local System
Tablet PC Input Service	Enables Ta		Manual	Local System

SSReporter	Creating SpamSentinel daily reports
SpamSentinelScanner	v7.7.1.5 - Blocking spam and viruses
SpamSentinelUpdate	v2.6.2.6 - Loads the latest SpamSentinel updates
SpamSentinelRouter	v2.6.2.4 - Mail: 1 Spam-D: 0 Spam-C: 0 Spam-B: 0
Router	Utility: Idle
Router	MailEvent: Idle
Router	Dispatch: Idle
Router	Dispatch: Idle
Router	Sweep: Idle
Router	Sweep: Idle
Router	Mailbox 2: Idle
Router	Mailbox 1: Idle
SMTP Server	Listen for connect requests on TCP Port:25
SMTP Server	Utility task
POP3 Server	Listen for connect requests on TCP Port:110
POP3 Server	Utility task
IMAP Server	Listen for connect requests on TCP Port:143
IMAP Server	Utility task
MT Collector	Idle (next collection in 855 secs, interval is 900 secs)
Agent Manager	Executive 'l': Idle
Router	MSGTrack: Idle
HTTP Server	Listen for connect requests on TCP Port:80
SpamSentinelMonitor	v2.7.0.6 - Monitoring all SpamSentinel components
Router	Main: Idle

### NOTE:

For AS400, Linux, Sun Solaris or other non-Windows server, the SpamSentinel implementation requires a Windows PC running at least Windows 2000 Professional with a Notes Client installed to perform the "checking" for spam (and viruses, if enabled). The SpamSentinel service is installed onto the Windows PC and checks the messages on the non-Windows server for spam. The Windows PC must be running 24/7.

The installation must be carried out from the PC that is to be used as the checking machine. Before starting the installation you should install and configure the Lotus Notes client using an ID that has administrative rights to the Domino server.

The checking machine install differs from the Windows install only in that the Domino server requires no restart and the Domino tasks shown on the console will instead be Windows services on the checking PC. You will also have an option to enter the password for the Notes ID, if one is present, thus allowing the services to start automatically.

## For support, please see <a href="http://www.maysoft.com/support">http://www.maysoft.com/support</a>

Customer service - for licensing and questions please contact Allison Cote at allison@maysoft.com